



FRENCH DRAIN TO INFILTRATION FACILITY (ON A SLOPE)
 USED WHEN WATER NEXT TO FOUNDATION MAY BE A PROBLEM

NOTES:

1. SIZE THE INFILTRATION FACILITY TO ACCOMMODATE DRAINAGE AREA. SIZE AS SPECIFIED BY BMP DESIGNER.
2. PROPRIETARY PRODUCTS MAY PROVIDE ADDITIONAL STORAGE CAPACITY. INSTALL PER MANUFACTURER'S SPECIFICATIONS.
3. DO NOT DRIVE OR PARK ON INFILTRATION FACILITIES.
4. INSTALL PRETREATMENT SEDIMENT TRAP WHEN INFILTRATING FLOWS WITH HIGH COARSE SEDIMENT LOADS.
5. CONTAINMENT BORDERS WITHIN THE 5' NON-COMBUSTIBLE ZONE SHALL BE MADE OF NON-FLAMMABLE MATERIALS.
6. BAFFLES NEED TO EXTEND BEYOND BOTTOM OF TRENCH TO PREVENT UNDERCUTTING.

Infiltration Facility



THE TAHOE REGIONAL PLANNING AGENCY (TRPA) SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF ELECTRONIC COPIES OF THIS DETAIL.